窗口式WINDOW TYPE





STRONG POWER 強大功率





通過革新的"強大功率"操作功能而實現了高舒適度。

Pursult of optimum comfort through innovative "STRONG POWER" operation.

"寧靜運轉"操作功能令您安眠舒適。

"QUIET OPERATION" enables comfortable sleep.

100°-140°寬闊角度的氣流,令您感覺舒適滿意。

Airflow as wide as 100°-140° gives you a comfortable and



BLUE CONDENSER FINS 藍色冷凝器翅片



鋁片上加上藍色塗層,提高防銹功能。

The blue coating on the aluminum fins improves anti-rust performance.





RKB 07FPTN © 7,000 BTU/h



WIDE



ANTI-MOLD



RKA 09FPTN © 9,000 BTU/h















RMA 12FPTN C 12,100 BTU/h



AIRFLOW







RFA 17FNTN C 16,400 BTU/h











RFA 18FNTN © 17,400 BTU/h











窗口式WINDOW TYPE

new						new
型號 Model		RKB 07FPTN	RKA 09FPTN	RMA 12FPTN	RFA 17FNTN	RFA 18FNTN
能力 Capacity	英卡/小時 BTU/h	7,000	9,000	12,100	16,400	17,400
	千瓦 kW	2.05	2.65	3.55	4.80	5.10
除濕 Moisture Removal	公升 / 小時 L / h	0.8	0.9	1.5	2.1	1.7
室內空氣循環 (高能力) Room Air Circulation (High)	立方呎 / 分 C.F.M.	206	212	286	354	394
	立方米 / 小時 m3 / h	350	360	485	600	670
電壓 / 相-頻率 Input Power	伏特∅ / 赫茲 V / ∅ / Hz	220/1/50	220/1/50	220/1/50	220/1/50	220/1/50
運轉電流 Running Current	安培 A	3.4	4.3	6.5	8.5	8.3
電功率 Power Consumption	千瓦 kW	0.695	0.95	1.37	1.85	1.728
高能量效率比 E.E.R.	千瓦 kW	2.95	2.79	2.59	2.59	2.95
外形尺寸 Dimensions	高(毫米) Height (mm)	350	349	375	400	428
	闊(毫米) Width (mm)	450	457	560	660	660
	深(毫米) Depth (mm)	580	581	650	633	705
淨重 Net Weight	公斤 kg	30	32	40	59	56
雪種類別 Refrigerant		R410A	R410A	R410A	R410A	R410A
強制性能源效益標籤 Mandatory Energy Efficency Label		Grade 1	Grade 2	Grade 3	Grade 3	Grade 1

如因改進而變更規格及設計,恕不另行通知。 Specifications and design subject to change without notice.



www.alpha-general.com
Email : cs@alpha-general.com

東美中心15樓

電話 : 2529 7555 寫字樓: 香港皇后大道東43-59號



